

ECOUSTIC® DRIFT SPECIFICATIONS



unika vaev
INSTYLE

Hear yourself think®

ECOUSTIC® COLORS



AQUA



AUBERGINE



BALTIC



BERRY



CAMEO



CAPER



CHARCOAL



COBALT



CREAM



DOVE



FIELD



FOSSIL



FRESCO



GREEN



INDIGO



JET



LEMON



LIGHT GREY



LIME



NATURAL



NAUTICAL



OATMEAL



OPAL



ORANGE



OYSTER



PAPRIKA



PEWTER



QUARTZ




RED



SKY



SPRAY



TAUPE



WHITE



YELLOW

Patterns shown are not to scale
Product may vary in color due to the nature of the media
Please refer to website for current color range

ecoustic® global leaders
by INSTYLE in acoustic
products

ECOUSTIC® DRIFT



CONTENT	100% PET (>50% Recycled PET)
DIMENSIONS	19 11/16"(w) x 19 11/16"(h) x 1 1/4"(d) (500mm x 500mm x 32mm)
ORIGIN	Australia
APPLICATION	Wall, Ceiling and Vertical *Use glue for ceiling installations
FIRE RATINGS ASTM E84 AS/NZS 3837 ISO 5660-1	Class A / Class B With ecoustic® Infil
VOC Cal 01350	Complies
DESCRIPTION	An unhurried and smooth sense of time and flow is the experience of Drift. Its gentle rhythm of soft yet confident lines and its inherent sound absorption capability provides visual and acoustic calm to a space
ACOUSTIC	NRC without Infill 0.60 NRC with Infill 0.85


BENEFITS

Lightweight, Easy to Handle + Install: ecoustic® Drift is a modular tile that is easy to install and disassemble. Use the provided template to position the 4-way clips, then simply press the tile into place. The design can be easily extended at a later stage.

Designed for the Environment: Drift is made with at least 50% recycled content. Drift is designed for disassembly and recyclable, with all components able to be fixed without the use of adhesives. Drift is low VOC + Greentag Level A certified.


Building Rating Systems: Drift will contribute the following points for Green Star, LEED and WELL building standards

Criteria	Green Star	LEED	WELL
Recycled content	yes	yes	no
Low-VOC	yes	yes	yes
Recycling Program	yes	yes	no
EPD	yes	yes	no
3rd Party Greentag Level A Certification	yes	yes	yes
Toxic Material Reduction	no	no	yes
Sound Reducing Surfaces	no	no	yes




ECOUSTIC® DRIFT COMPONENTS

Front View








Side View



Screws

Flat-head c/sunk 1" (25mm) 10g
[2 per 4-way clip]
Not supplied



Ecoustic® Drift Tile

100% polyester (>50% recycled content)
8 tiles per box in a single color

4 way clip

Clear ABS
8 + 1 spare 4-way clips are supplied with each box
Single clip template is included in each box